

RACK ACCESSORIES

Safewell provides you varieties of accessories, which are compatible with the leading brands of racks, cabinets in the market.



Rack Shelves


Easy-to-install vented 19" shelf mounts easily with screws onto rack rails of IT equipment.

Fixed Shelf



Features

- Four mounting ears depth adjustable fixed shelf.
- Material: SPCC.
- Load capacity: 45kgs.
- Color: RAL9005(Black).




Model	Dimension W*D*H(mm)	Installation Size(mm)	Application
SWAFSHELF-350	483*350*43	465	600mm depth SSG/SNB rack
SWAFSHELF-550	483*550*43	465	800mm depth SSG/SNB rack
SWAFSHELF-650	483*650*43	465	1000mm depth SSG/SNB rack
SWAFSHELF-750	483*750*43	465	1100/1200mm depth SSG/SNB rack



Features

- Four mounting holes fixed shelf.
- Material: SPCC.
- Load capacity: 20kgs.
- Color: RAL9005(Black).




Model	Dimension W*D*H(mm)	Installation Size(mm)	Application
SWSHELF4P-350	470*350*48	470	600mm depth SNB rack
SWSHELF4P-550	470*550*48	470	800mm depth SNB rack
SWSHELF4P-650	470*650*48	470	1000mm depth SNB rack



Features

- Two mounting ears fixed shelf.
- Material: SPCC.
- Load capacity: 20kgs.
- Color: RAL9005(Black).




Model	Dimension W*D*H(mm)	Installation Size(mm)	Application
SW2P1USHELF-300	483*300*43	465	450mm depth wall mount cabinet, 2-post open frame rack
SW2P1USHELF-350	483*350*43	465	450mm depth wall mount cabinet, 2-post open frame rack
SW2P2USHELF-300	483*300*88	465	450mm depth wall mount cabinet, 2-post open frame rack
SW2P2USHELF-350	483*350*88	465	450mm depth wall mount cabinet, 2-post open frame rack



Features

- Four mounting ears fixed shelf.
- Material: SPCC.
- Depth can be adjustable from 22" to 40".
- Color: RAL9005(Black).




Model	Dimension W*D*H(mm)	Installation Size(mm)	Application
SWAFSHELF4POST	485*(558.8~1023)*34	465	22"-40" depth 4-post open frame rack

Sliding Shelf



Features

- Four mounting ears sliding shelf.
- Material: SPCC.
- Load capacity: 35kgs.
- Color: RAL9005(Black).




Model	Dimension W*D*H(mm)	Installation Size(mm)	Application
SWASSHELF-350	483*350*43	465	600mm depth SSG/SNB rack
SWASSHELF-550	483*550*43	465	800mm depth SSG/SNB rack
SWASSHELF-650	483*650*43	465	1000mm depth SSG/SNB rack



Features

- Four mounting holes sliding shelf.
- Material: SPCC.
- Load capacity: 30kgs.
- Color: RAL9005(Black).




Model	Dimension W*D*H(mm)	Installation Size(mm)	Application
SWSSHELF-350	470*350*53	470	600mm depth SNB rack
SWSSHELF-550	470*550*53	470	800mm depth SNB rack
SWSSHELF-650	483*650*53	470	1000mm depth SNB rack



Features

- Four mounting holes sliding shelf.
- Material: SPCC.
- Load capacity: 30kgs.
- Color: RAL9005(Black).




Model	Dimension W*D*H(mm)	Installation Size(mm)	Application
SWASSHELFSG-350	483*350*43	465	600mm depth SSG rack
SWASSHELFSG-550	483*550*43	465	800mm depth SSG rack
SWASSHELFSG-650	483*650*43	465	1000mm depth SSG rack
SWASSHELFSG-750	483*750*43	465	1100mm/1200mm depth SSG rack



Features

- Sliding drawer for network rack.
- Material: SPCC.
- Load capacity: 30kgs.
- Color: RAL9005(Black).



Model	Dimension W*D*H(mm)	Installation Size(mm)	Application
SWSDRAWER-650	470*650	470	1000mm depth SNB rack

Cable Management

For routing and bundling cable on standard 19" rack, makes a complete cable management system when used with vertical and horizontal cable managers.

Horizontal Cable Manager

Metal Horizontal Cable Manager



Features

- Mounts horizontally on standard 19" cabinet.
- Material:SPCC.
- Color:RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)
SWMCABLEDUCT1U	483*42*70	465
SWMCABLEDUCT2U	483*88*70	465

Plastic Cable Manager




Features

- Mounts horizontally on standard 19" cabinet.
- Material:Plastic and SPCC.
- Color:RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)
SWPCABLEDUCT1U	483*42*60	465
SWPCABLEDUCT2U	483*88*60	465

Metal Horizontal Cable Ring



Features

- Mounts horizontally on standard 19" cabinet.
- Material:SPCC.
- Color:RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)
SWMCABLERING1U	483*42*70	465
SWMCABLERING2U	483*88*70	465

Plastic Horizontal Cable Ring



Features

- Mounts horizontally on standard 19" cabinet.
- Material:Plastic and SPCC.
- Color:RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)
SWPCABLERING1U	483*42*80	465
SWPCABLERING2U	483*88*80	465

High-density Cable Manager



Features

- Supply high-performance cable manager for cable and fiber patch cord.
- Can open the cover from double sides through snap hinges easily.
- Material:SPCC+Plastic.
- Color:RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)
SWCABLEMNRHD1U	483*42*92	465
SWCABLEMNRHD2U	483*88*92	465

Knock down Cable Ring



Features

- Mounting horizontally on standard 19" cabinet.
- Material:fully plastic.
- Can knock down packing.
- Remove the rings can use as blank panel.
- Color:RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)
SWKDCABLERING1U	483*42*70	465

Double Sides Plastic Cable Manager



Features

- Double sides plastic cable manager.
- Mounting horizontally on standard 19" cabinet.
- Material: fully plastic.
- Color: RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)
SWFPCABLEDUCT1UDS	483*175*48	465
SWFPCABLEDUCT2UDS	483*175*92	465

Single Side Plastic Cable Manager



Features

- Single sides plastic cable manager.
- Mounting horizontally on standard 19" cabinet.
- Material: fully plastic.
- Color: RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)
SWFPCABLEDUCT1U	483*85*48	465
SWFPCABLEDUCT2U	483*85*92	465

Vertical Cable Manager



Features

- Toolless mounting vertically with plastic mounting buttons.
- Material: SPCC and plastic cable rings.
- 2pcs one set.
- Color: RAL9005(Black).

Model	Dimension W*D*H(mm)	Application
SWPCABLERING1UVRT	45*95*860	Vertical tool-less mounting
SWPCABLERING2UVRT	88*98*860	Vertical tool-less mounting



Features

- Toolless mounting vertically with plastic mounting buttons.
- Material: SPCC and plastic cable tray.
- 2pcs one set.
- Color: RAL9005(Black).

Model	Dimension W*D*H(mm)	Application
SWPCABLEDUCT1UVRT	45*70*860	Vertical tool-less mounting
SWPCABLEDUCT2UVRT	88*70*860	Vertical tool-less mounting



Features

- Designed for wide rack.
- Easy removable and completed front cover.
- With plastic cable fingers provides high-density cabling system.
- Different height accept customized.
- Material: SPCC and plastic cable fingers.
- Color: RAL9005(Black).



Model	Height (U)	Application
SWCABLEMNVRT24-SSG	24	Vertical cabling for 24U SSG rack
SWCABLEMNVRT42-SSG	42	Vertical cabling for 42U SSG rack
SWCABLEMNVRT48-SSG	48	Vertical cabling for 48U SSG rack

Vertical Cable Manager



Features

- Designed for management of cable smoothing.
- Easy removable standard front cover provides cable access and management.
- Material: SPCC and plastic cable rings.
- Color: RAL9005(Black).

Model	Height (U)	Application
SWCABLEMNVRT27-SNB	27	Vertical cabling for 27U SNB rack
SWCABLEMNVRT32-SNB	32	Vertical cabling for 32U SNB rack
SWCABLEMNVRT37-SNB	37	Vertical cabling for 37U SNB rack
SWCABLEMNVRT42-SNB	42	Vertical cabling for 42U SNB rack
SWCABLEMNVRT47-SNB	47	Vertical cabling for 47U SNB rack



Features

- Mounting vertically on 2-post and 4-post open frame rack.
- 3", 6" and 12" wide vertical cable tray meet your different cabling requirement.
- With plastic cable finger, provide high-density cabling system.
- Material: SPCC and plastic.
- Color: RAL9005(Black).

Model	Size W*D*H(mm)	Application
SWCABLETRAY3CP	98*190*622	Basic density cabling, covered partially
SWCABLETRAY6CP	160*220*622	Medium density cabling, covered partially
SWCABLETRAY12CP	312*220*622	High density cabling, covered partially



Features

- Mounting Vertically on 2-post and 4-post open frame rack.
- With plastic cable finger, provide high-density cabling system.
- With completed cover.
- Material: SPCC and plastic.
- Color: RAL9005(Black).

Model	Size W*D*H(mm)	Application
SWCABLETRAY3	98*190*622	Low density cabling, covered fully
SWCABLETRAY6	160*220*622	Medium density cabling, covered fully
SWCABLETRAY12	312*220*622	High density cabling, covered fully



Cooling Solution

Heat Removal

Cooling solution accessories enhance the natural convection airflow within a cabinet when installed with standard 19" rack. It is mainly used for 19" rack-mounted equipment and data center for certain power of targeted heat.

Fan Shelf



Features

- Fan shelf with either 2 or 4 fans.
- Cable length:1.9M.
- Rated voltage:110~120V/220V~240V.
- Input frequency: 50/60HZ.
- Material:SPCC .
- Various standards of cable plugs from different countries.
- Power switch provides on-off control.
- Color:RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)	Qty of fans
SWFANSHELF2	483*170*44	465	2
SWFANSHELF4	483*330*44	465	4

Fan Unit



Features

- Fan unit with 3 fans.
- Rated voltage:110~120V/220V~240V.
- Input frequency: 50/60HZ.
- Material:SPCC.
- Color:RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)	Qty of fans
SWFANUNIT3	483*130*44	465	3

Cooling Fan



Features

- Size: 120*120*38 mm.
- Material:Plastic+Aluminum.
- Color:RAL9005(Black).

Model	Rated Voltage	Frequency
SWFAN110V	110~120 V	50/60HZ
SWFAN220V	220~240 V	50/60HZ

1U Digital Temperature Unit with Cooling Fans



Features

- Adjust temperature in the cabinet by intelligent control through detector
- When the temperature in the cabinet reaching the pre-set temperature, the fans start to work until below the set temperature.
- 2-way output includes 2 meters cable with IEC 320 standard power socket.
- Color:RAL9005(Black).

Model	Dimension W*D*H(mm)	Installation Size(mm)	Qty of fans
SWFANSHELFD	483*140*44	465	2

Fan Tray for Safewell SSG Series Server Rack



Features

- Fan tray with 4 or 6 fans, with mesh guard.
- Include 2 meter cable with different standards for cable plug to choose from different countries.
- Use four self-tapping screws to install on the top pane of SSG rack.
- Color:RAL9005(Black)

Model	Dimension W*D*H(mm)	Q'ty of fans	Application
SWFANTRAY4	330*350*52	4	600/800mm depth rack
SWFANTRAY6	560*350*52	6	1000/1100mm depth rack

Fan Tray for Safewell SNB Series Network Rack



Features

- Fan tray with 2 or 4 fans, with metal cover.
- Use four self-tapping screws to install on the top panel of SNB rack.
- Color:RAL9005(Black)

Model	Dimension L*W*H(mm)	Q'ty of fans	Application
SWSNBFANTRAY2-600	346*412*40	2	600mm depth rack
SWSNBFANTRAY4-800	546*412*40	4	800mm depth rack
SWSNBFANTRAY4-1000	746*412*40	4	1000mm depth rack

Bottom Plate



Features

- Application in Safewell SSG/SSE series server rack.
- Includes 2pcs cable entry holes and 2pcs brushes.
- Color:RAL9005(Black)

Model	Dimension L*W(mm)	Application
SWSSGBT66	600*600	600mm width*600mm depth SSG rack
SWSSGBT68	600*800	600mm width*800mm depth SSG rack
SWSSGBT61	600*1000	600mm width*1000mm depth SSG rack
SWSSGBT88	800*800	800mm width*800mm depth SSG rack
SWSSGBT81	800*1000	800mm width*1000mm depth SSG rack

Fan Roof



Features

- Application in Safewell SSG series server rack.
- Fan roof with 4 or 6 fans and ventilation hole area.
- Includes 2 round cable entry holes and 2 square cable entry holes.
- Color:RAL9005(Black).

Model	Dimension L*W(mm)	Q'ty of fans	Application
SWFANPANEL4-66	600*600	4	600mm width*600mm depth rack
SWFANPANEL4-68	600*800	4	600mm width*800mm depth rack
SWFANPANEL6-61	600*1000	6	600mm width*1000mm depth rack
SWFANPANEL6-88	800*800	6	800mm width*800mm depth rack
SWFANPANEL6-81	800*1000	6	800mm width*1000mm depth rack